





MeiG -SRM700

5G

Wi-Fi 6E & L1+L5 GNSS


SRM700		5G SoC QCM4490		8 Kryo™ CPU 2 * A78 2.2GHz+6	
* A55 1.95GHz	4nm	Adreno™ GPU 613	OpenGL ES 3.2	Vulkan 1.x	OpenCL 2.0, DX FL12
1080p @ 60 fps		1080p @ 60 fps	H.264/H.265		Android 13
64GB+ 4GB		128GB+ 6GB	5G NR sub-6Ghz	DL 4 × 4 MIMO	UL: 256 QAM
NSA SA	L1+L5 GPS	2x2 MIMO Wi-Fi 6E	BT 5.2		
SRM700		LCM		UART	USB I2C
SPI	PCIe				

- ✓ 5G NR sub-6Ghz, DL 4 × 4 MIMO SA/NSA 
- ✓ WIFI 6E, 2x2 MIMO 
- ✓ FHD+ (1080x2520) @ 90/120Hz
- ✓ : 16+16 MP@ 30 fps
- ✓ L1 + L5
- ✓ : USB / GPIO / SPI / UART / ...
- ✓ 2030

MeiG -SRM700

5G

WIFI 6E & L1+L5 GNSS



SRM700

5G-FDD: N1/N3/N5/N8/N28
5G-TDD: N41/N78 /N79

LTE-FDD: B1/B3/B5/B8
LTE-TDD: @ h X

- Decode: 1080P@ 60fps H.264/H.265/VP9
- Encode: 1080P@ 30fps H.264/H.265
- Concurrency: 1080p30 decode + 1080p30 encode

- FHD+(1080x2520)@ 60/90/120 Hz
- One 4-lane DSI,

- 3 x 4-lane CSI D-PHY 1.2 or C-PHY 1.2
- 16 + 16 MP/25 MP @ 30 fps

- I2C

- : 3
- :
- 2 x MI2S
- 3 x DMIC

USB

- 1 x USB 3.1 Gen1 USB OTG

*4, GNSS *1, Wi-Fi&BT *2

- I2C : x8 4 I2C 1 sensor QUP
- (U)SIM : x2 (1.8V/2.95V
- UART : x3 (QUP
- SD : x1 (SD 3.0, 4-bit SDIO, dual-voltage
- SPI : x2
- ADC : x2
- GPIO : x76
- PWRKEY: 1.8V,

- WLAN:

WIFI 6E(2 x 2 MU-MIMO 802.11a/b/g/n/ac/ax)

- : BT5.2
- GNSS: GPS/GLONASS/BeiDou, L1+L5 GPS
- Modem 3GPP 5G Rel.16 sub-6 GHz 5G NR Sub-6: 256 QAM for uplink and downlink
- USB

Android

64GBUFS+4GBLPDDR

128GBUFS+8GBLPDDR

-30°C~+75°C

-40°C~+90°C